

After Oak Collection - Ash



After Oak Collection - Ash



After Oak Collection - Tasmanian Oak



After Oak Collection - Tasmanian Oak



Our **After Oak Collection** of engineered hardwood flooring offers an extensive colour palette ranging from light natural colours to midnight black. This Collection is available in three distinctive wood options; Tasmanian Oak, a eucalyptus species sourced from Australia, Western European Ash and American Pecan. Each of the three woods creates room ambience that is particular to the species and evokes a contemporary yet timeless look and feel.











TECHNICAL DATA

PLANK SPECIFICATION	TEST METHOD	SINGLE PLANK ASH	SINGLE PLANK TASMANIAN OAK
Length ± 5mm		2130mm 84"	
Width ± 0.2mm	EN 13489	190mm 7 ^{1/2} "	165mm 6 ^{1/2"}
Total thickness ± 0.1mm		14.2mm 22mm 9/16" 7/8"	
Top layer		3.2mm 6.02mm	
Squareness	EN 13489	≤0.2% Over the width	
Cup	EN 13489	≤0.2% Over the width	
Spring	EN 13489	≤0.1% Over the length	
Lipping	EN 13489	± 0.2mm	
Moisture Content	EN 13183-1	7% ± 2% (at the time of delivery)	
Adhesive	EN 717-1	JAPAN F&&&&~ SEO	
Finishing	BONA	7 Coats of abrasion resistance ASTM S33 > 100 revolutions	
	KLUMPP	7 Coats of abrasion resistance ASTM S33 > 100 revolutions	
	KLUMPP EMO	3 Coats	
Formaldehyde Emissions	ASTM D5116-NAF	ZERO EMISSIONS / NO ADDED FORMALDEHYDE	











Printed material in this brochure is provided as reference only. Colour and wood characteristics may vary from actual product.

